


**SECCIÓN PARA ALTURA LUZ=260 cm.**

Altura luz	b	d	b+d	B	D	L	B+D	e	f	e+f	F	E	H	F+E
50	6.5	7.5	14	8	8.5	16.5	7.5	5	12.5	9	9	18		
60	7.5	7.5	15	9.5	9	18.5	7.5	7	14.5	12	9	21		
70	8	7.5	15.5	10	9	19	7.5	7	14.5	12.5	9	21.5		
80	8	7.5	15.5	10.5	10	20.5	8.5	7.5	16	12.5	10	22.5		
90	8.5	8.5	17	10.5	10	20.5	9	8	17	13	10.5	23.5		
100	9	9	18	11	21.5	9	8	17	13	11	24			
110	9	9	18	11	10.5	21.5	9.5	9	18.5	13	11	24		
120	10.5	9.5	20	12	0.5	22.5	9.5	9.5	19	13	12	25		
130	10.5	10	20.5	12.5	12	24.5	10.5	9.5	20	14	12	26		
140	11	10.5	21.5	12.5	12	24.5	10.5	9.5	20	14	12	26		
150	11	10.5	21.5	12.5	12	24.5	10.5	11	21.5	14	12	26		
160	11.5	11.5	23	13	12.5	25.5	11.5	11	22.5	15.5	12.5	28		
170	11.5	11.5	23	13	12.5	25.5	11.5	11	22.5	15.5	12.5	28		
180	12	12	24	13.5	13	26.5	12	11.5	23.5	15.5	13.5	29		
190	12	12	24	14	13.5	27.5	12	11.5	23.5	16.5	13.5	30		
200	12.5	12.5	25	14	13.5	27.5	12	12	24	16.5	13.5	30		
210	12.5	12.5	25	14.5	13.5	28	12	12.5	24.5	16.5	13.5	30		
220	13	13	26	15	14	29	13	12.5	25.5	17.5	14	31.5		
230	13	14	27	15	15	30	13	12.5	25.5	17.5	14.5	32		
240	13.5	14	27.5	15.5	15	30.5	13.5	13	26.5	17.5	15.5	33		
250	13.5	14	27.5	15.5	15	30.5	13.5	13	26.5	17.5	15.5	33		
260	14	14.5	28	16	15.5	31.5	13.5	13.5	27	18.5	15.5	34		

**DIMENSIONES EN CENTIMETROS**



**SECCIÓN PARA ALTURA LUZ=260 cm.**

Altura luz	b	d	b+d	B	D	L	B+D	e	f	e+f	F	E	H	F+E
50	6.5	7.5	14	8	8.5	16.5	7.5	5	12.5	9	9	18		
60	7.5	7.5	15	9.5	9	18.5	7.5	7	14.5	12	9	21		
70	8	7.5	15.5	10	9	19	7.5	7	14.5	12.5	9	21.5		
80	8	7.5	15.5	10.5	10	20.5	8.5	7.5	16	12.5	10	22.5		
90	8.5	8.5	17	10.5	10	20.5	9	8	17	13	10.5	23.5		
100	9	9	18	11	21.5	9	8	17	13	11	24			
110	9	9	18	11	10.5	21.5	9.5	9	18.5	13	11	24		
120	10.5	9.5	20	12	0.5	22.5	9.5	9.5	19	13	12	25		
130	10.5	10	20.5	12.5	12	24.5	10.5	9.5	20	14	12	26		
140	11	10.5	21.5	12.5	12	24.5	10.5	9.5	20	14	12	26		
150	11	10.5	21.5	12.5	12	24.5	10.5	11	21.5	14	12	26		
160	11.5	11.5	23	13	12.5	25.5	11.5	11	22.5	15.5	12.5	28		
170	11.5	11.5	23	13	12.5	25.5	11.5	11	22.5	15.5	12.5	28		
180	12	12	24	13.5	13	26.5	12	11.5	23.5	15.5	13.5	29		
190	12	12	24	14	13.5	27.5	12	11.5	23.5	16.5	13.5	30		
200	12.5	12.5	25	14	13.5	27.5	12	12	24	16.5	13.5	30		
210	12.5	12.5	25	14.5	13.5	28	12	12.5	24.5	16.5	13.5	30		
220	13	13	26	15	14	29	13	12.5	25.5	17.5	14	31.5		
230	13	14	27	15	15	30	13	12.5	25.5	17.5	14.5	32		
240	13.5	14	27.5	15.5	15	30.5	13.5	13	26.5	17.5	15.5	33		
250	13.5	14	27.5	15.5	15	30.5	13.5	13	26.5	17.5	15.5	33		
260	14	14.5	28	16	15.5	31.5	13.5	13.5	27	18.5	15.5	34		

**Persiana Supergradhermetic**

**GRADHERMETIC**  
Industrial Gradhermetic S.A.E.

Plano: GH.01 Tabla de enrollamiento interior.

Formato: DIN-A1, 1:2

Dates: 16.07.2010 redacció